

Installing MDOpen Web

Version 8.6


Published March 4, 2025

Overview & Architecture

MDOpen Web is a browser-based installation of MDOpen for VSCODE.

It is installed and runs natively as a web application from an IBM i HTTP server instance.

MDOpenweb uses the same [MDCMS REST API's](#) as MDOpen-RDi and MDOpen-VSCODE-Desktop, to retrieve the content.



Pre-Requisites

1. [MDCMS Rest API Server](#) installed and configured with SSL/TLS/HTTPS access.
2. Available TCP port numbers for MDOpenweb HTTP server instance. Consult with your Operations/Infrastructure Administrator
3. IBM i Digital Certificate Manager [server application name](#)
4. MDCMS Instance Suffix
5. V7R2M0 IBM i OS or later

6. *SECADM Authority

SSL/HTTPS Mandatory

Communication to the MDOpenweb HTTP server and to the MDChange REST API servers **MUST** be using HTTPS scheme

Installation Logs

The installation log is found in one of two places:

```
/mdcms/temp/<server_instance_name>_installation_audit_<date>_<time>.log
```

or

```
/www/<server_instance_name>/logs/<server_instance_name>_installation_audit_<date>_<time>.log
```

Info

Prefix the paths above with `/<IASP name>` as applicable